


## **REQUEST FOR QUOTATION**

### WAYFINDING SIGNS FOR RIVERSIDE AND ORANGE BIKE ROUTES

The City of Salisbury Department of Public Works is requesting quotes for furnishing and delivering between 25 to 34 (Quantity is dependent on pricing) wayfinding signs in order to provide direction for cyclists on various bicycle routes through the City (See attached Riverside Bike Route Wayfinding Signage Plan and Orange Route Wayfinding Signage Plan).

## **WAYFINDING SIGN SPECIFICATIONS:**

- 1. Total Number of Wayfinding Signs: 16-34
  - A. Total Number of Salisbury Confidence Markers: 8-11
  - B. Total Number of Salisbury Directional Destination Sign: 5-18
  - C. Total Number Downtown Directional Destination Sign: 3-5
  - D. Actual Number is dependent on pricing.
- 2. Wayfinding Sign Descriptions
  - A. Salisbury Confidence Markers:
    - Includes signs R2-B, R2-C, R3-A, R3-E, R4-A, R4-B, R5-A, R5-B, O2-B, O4-A, and O4-B. Please see Riverside Bike Route Wayfinding Signage Plan and Orange Route Wayfinding Signage Plan for specific destinations/distances.
    - Dimensions: Please see attached pdf, "Salisbury Wayfinding Concepts On-Street" for sizing, coloring, and lettering guidelines.
  - B. Standard Dimensions of Salisbury Directional Destination Sign:
    - Includes signs R2-A, R2-D, R3-B, R3-C, R3-D, O2-A, O3-A, O3-B, O3-C, O3-D, O3-E, O3-F, O5-A, O5-B, O5-C, O5-D, O5-E, O5-F. Please see Riverside Bike Route Wayfinding Signage Plan and Orange Route Wayfinding Signage Plan for specific destinations/distances.
    - Dimensions: Please see attached pdf, "Salisbury Wayfinding Concepts On-Street" for sizing, coloring, and lettering guidelines.
  - C. Standard Dimensions of Downtown Directional Destination Sign:
    - Includes signs R5-C, R5-D, R5-E, O6-A, O6-B. Please see Riverside Bike Route Wayfinding Signage Plan and Orange Route Wayfinding Signage Plan for specific destinations/distances.
    - Dimensions: Please see attached pdf, "Salisbury Wayfinding Concepts On-Street" for sizing, coloring, and lettering guidelines.
- 3. Additional Information
  - A. Quotes are for proofs, signage, lettering, and decals only. FOB Destination to the address below.
  - B. Signs are to be installed by City forces.
  - C. The City of Salisbury has the right to award quote in part or in full.
  - D. Signs to be delivered NLT 45 calendar days after the approval of proofs and Notice to Proceed. FOB Destination: 500 Mack Ave., Salisbury, MD 21801.
  - E. Quotes will be evaluated on a lump sum based off of the quantities specified on the "Wayfinding Signs Quote Form". Successful vendor will be required to provide proofs prior to fabrication.



## **WAYFINDING SIGNS QUOTE FORM**

ITEM NO.	DESCRIPTION	UNIT PRICE (EA)	EST. QTY.	TOTAL PRICE			
101	Salisbury Confidence Marker (Signs R2-B, R2-C, R3-A, R3-E, R4-A, R4-B, R5-A, R5-B, O2-B, O4-A, O4-B)		11				
102	Salisbury Directional Destination Sign (Signs R2-A, R2-D, R3-B, R3-C, R3-D, O2-A, O3-A, O3-B, O3-C, O3-D, O3-E, O3-F, O5-A, O5-B, O5-C, O5-D, O5-E, O5-F)		18				
103	Downtown Directional Destination Sign (Signs R5-C, R5-D, R5-E, O6-A, O6-B)		5				
TOTAL PRICE (ITEMS 101-103)							

		Total Price Items 101-103 (Written)
Time to Furnish & Deliver:	Davis	
	Days	
Company Name		
	_	
Representative Signature		Position/Title
Printed Name		Date
Tillited Name		Date
		ng@salisbury.md) or fax (410-548-3107) to the ime on Wednesday, June 7, 2017.

You may contact Chris Clasing, Project Engineer at 410-548-3170 or by e-mail at <a href="mailto:cclasing@salisbury.md">cclasing@salisbury.md</a>

Regards,

Christopher S. Clasing Project Engineer Salisbury Public Works

with any questions regarding this RFQ.

# RIVERSIDE BIKE ROUTE WAYFINDING SIGNAGE PLACEMENT PLAN

# GENERAL NOTES

- 1. A WRITTEN "NOTICE TO PROCEED" MUST BE OBTAINED FROM AND A PRE-CONSTRUCTION MEETING SCHEDULED WITH SPW, BEFORE BEGINNING CONSTRUCTION IN CITY PUBLIC R/W'S, EASEMENTS AND/OR CITY MAINTAINED UTILITIES OR ROADWAYS. CONTACT FRANK ENNIS, SALISBURY, MARYLAND 21801, (410)548-5460, FENNIS@CITYLIVINGSALISBURY.COM, TO SCHEDULE A PRE-CONSTRUCTION MEETING AND OBTAIN A WRITTEN "NOTICE TO PROCEED." 48 HOURS NOTICE IS REQUIRED.
- 2. DURING THE PROGRESS OF THE JOB, THE CONTRACTOR SHALL KEEP A CAREFUL RECORD AT THE JOB SITE OF ALL CHANGES AND CORRECTIONS TO THE INFORMATION SHOWN ON THE PLAN DRAWINGS. PRIOR TO COMPLETION, THE CONTRACTOR SHALL ENTER SUCH CHANGES AND CORRECTIONS ON ONE SET OF RED LINE AS BUILT DRAWINGS.


## DISCREPANCIES

- A. THE CONTRACTOR SHALL IMMEDIATELY STOP WORK AND NOTIFY THE CITY REPRESENTATIVE OF ANY DISCREPANCIES DISCOVERED BETWEEN THE DRAWINGS AND EXISTING CONDITIONS.
- B. ERRORS OR OMISSIONS IN DRAWINGS OR LAYOUT SHALL BE TREATED AS A DISCREPANCY.
- C. THE CITY REPRESENTATIVE WILL REVIEW THE CONTRACTOR'S FINDING TO CONFIRM THE DISCREPANCY.
- D. THE CITY REPRESENTATIVE WITH SALISBURY PUBLIC WORKS APPROVAL, WILL ISSUE NEW INSTRUCTIONS AS SOON AS POSSIBLE TO RELIEVE THE DISCREPANCY.
- E. THE CONTRACTOR SHALL RESOLVE ANY DISCREPANCY BEFORE START OF WORK OR CONTINUATION AFTER THE DISCREPANCY ARISES.
- 5. THE PLANS FOR THIS PROJECT ARE DEVELOPED AND PRINTED USING COLOR INK. CONTRACTOR MUST HAVE PLANS PRINTED USING COLOR INK ON SITE AT ALL TIME WHILE PERFORMING WORK RELATED TO THIS PROJECT.
- 6. BUILDINGS AND DRIVEWAY LOCATIONS ARE SOURCED FROM WICOMICO COUNTY GIS DATABASE.

# BIKE ROUTE SIGNAGE NOTES

- 1. ALL SIGNS ARE TO BE INSTALLED SUCH THAT THE EDGE OF THE SIGN IS 2 FEET MINIMUM FROM THE EDGE OF SIDEWALK AND EDGE OF ROADWAY OR FACE OF CURB. IF AN EXISTING SIGN POST IS AVAILABLE WITHIN 50' OF PROPOSED LOCATION OF NEW SIGN POST, EXISTING POST MAY BE UTILIZED UPON APPROVAL OF SALISBURY PUBLIC WORKS.
- 2. LETTERING HEIGHT SHALL BE 1-INCH FOR 30 FEET LEGIBILITY DISTANCE PER MUTCD SECTION 2A.13. NOMINAL LOOP HEIGHT OF LOWER-CASE LETTERS SHALL BE 3/4-INCH PER MUTCD SECTIONS 2D.05 AND 2D.06. LETTERING FONT IS TO BE SERIES C 2000 PER STANDARD HIGHWAY SIGNS AND MARKINGS.
- 3. ALL ARROWS FOR DIRECTIONAL DESTINATION SIGNS AND CONFIDENCE MARKERS SHALL BE TYPE B PER MUTCD FIGURE 2D-2.
- 4. ALL ARROWS FOR TURN SIGNS SHALL BE TYPE A PER MUTCD FIGURE 2D-2.
- 5. ALL SIGNS ARE TO HAVE WHITE LETTERING ON A GREEN BACKGROUND EXCEPT WHERE SHOWN ON CUSTOM ROUTE BLAZES (SEE SIGN LEGEND THIS SHEET). ALL MESSAGES, BORDERS, LEGENDS, AND BACKGROUND SHALL BE RETROREFLECTIVE PER MUTCD SECTION 2D.03.
- 6. SIGNS SHALL BE SIZED PER STANDARD HIGHWAY SIGNS AND MARKINGS WITH CUSTOM ROUTE BLAZES (SEE SIGN LEGEND THIS SHEET).

# SIGN LEGEND SIGN LEGEND SIGN SYMBOL SHOWN ON PLAN SALISBURY CONFIDENCE MARKER SALISBURY DIRECTIONAL DESTINATION DOWNTOWN DIRECTIONAL DESTINATION 2 DOSTINATION 2




VICINITY MAP

SCALE: 1" = 500


# SHEET INDEX

SHEET	DESCRIPTION	DRAWING
1	TITLE, LOCATION MAP, AND LEGEND	C-1
2	SIGNAGE PLACEMENT PLAN	P-1
3	SIGNAGE PLACEMENT PLAN	P-2
4	SIGNAGE PLACEMENT PLAN	P-3
5	SIGNAGE PLACEMENT PLAN	P-4



SCALE: 1" = 2000'

									LUCINDA F. STEVENS, P.E. RELEASED BY		
									DESIGN R.D. PARKS, P.E.	CHECKED	
									DRAWN J.L. WILLIAMS	CHECKED	
									DATE SERTEMBER 2015	SURVEY DATE	
REVISION	DATE	BY	APP.	NO	REVISION	DATE	BY	APP.	SEPTEMBER 2015	FIELD BOOK	



PROFESSIONAL CERTIFICATION

I LUCINDA F. STEVENS, P.E. hereby certify that these documents were prepared and approved by me and that I am a duly licensed professional engineer under the laws of the State of Maryland, License No. 27744, expiration date 07-19-2018.

CLIENT & PROJECT

CITY OF SALISBURY

125 N. DIVISION STREET

SALISBURY, WICOMICO COUNTY, MARYLAND 21801

RIVERSIDE BIKE ROUTE
RIVERSIDE DRIVE
SALISBURY, WICOMICO COUNTY, MARYLAND



1101 Opal Court, Suite 312

Tel 301.791.1100

Hagerstown, Maryland 21740

TITLE, LOCATION MAP, AND LEGEND

 SCALE
 DWG. NO.


 AS SHOWN


 PROJECT NO.
 SHEET NO.
 REV.
 C-1

 10916.00
 1 OF 5
 0









# ORANGE BIKE ROUTE WAYFINDING SIGNAGE PLACEMENT PLAN

# GENERAL NOTES

- 1. A WRITTEN "NOTICE TO PROCEED" MUST BE OBTAINED FROM AND A PRE-CONSTRUCITON MEETING SCHEDULED WITH SPW, BEFORE BEGINNING CONSTRUCTION IN CITY PUBLIC R/W'S, EASEMENTS AND/OR CITY MAINTAINED UTILITIES OR ROADWAYS. CONTACT FRANK ENNIS, SALISBURY, MARYLAND 21801, (410)548-5460, FENNIS@CITYLIVINGSALISBURY.COM, TO SCHEDULE A PRE-CONSTRUCTION MEETING AND OBTAIN A WRITTEN "NOTICE TO PROCEED." 48 HOURS NOTICE IS
- 2. DURING THE PROGRESS OF THE JOB, THE CONTRACTOR SHALL KEEP A CAREFUL RECORD AT THE JOB SITE OF ALL CHANGES AND CORRECTIONS TO THE INFORMATION SHOWN ON THE PLAN DRAWINGS. PRIOR TO COMPLETION, THE CONTRACTOR SHALL ENTER SUCH CHANGES AND CORRECTIONS ON ONE SET OF RED LINE AS BUILT DRAWINGS.

## DISCREPANCIES

- A. THE CONTRACTOR SHALL IMMEDIATELY STOP WORK AND NOTIFY THE CITY REPRESENTATIVE OF ANY DISCREPANCIES DISCOVERED BETWEEN THE DRAWINGS AND EXISTING CONDITIONS.
- B. ERRORS OR OMISSIONS IN DRAWINGS OR LAYOUT SHALL BE TREATED AS A DISCREPANCY.
- C. THE CITY REPRESENTATIVE WILL REVIEW THE CONTRACTOR'S FINDING TO CONFIRM THE DISCREPANCY.
- D. THE CITY REPRESENTATIVE WITH SALISBURY PUBLIC WORKS APPROVAL, WILL ISSUE NEW INSTRUCTIONS AS SOON AS POSSIBLE TO RELIEVE THE DISCREPANCY.
- E. THE CONTRACTOR SHALL RESOLVE ANY DISCREPANCY BEFORE START OF WORK OR CONTINUATION AFTER THE DISCREPANCY ARISES.
- 5. THE PLANS FOR THIS PROJECT ARE DEVELOPED AND PRINTED USING COLOR INK. CONTRACTOR MUST HAVE PLANS PRINTED USING COLOR INK ON SITE AT ALL TIME WHILE PERFORMING WORK RELATED TO THIS PROJECT.
- 6. BUILDINGS AND DRIVEWAY LOCATIONS ARE SOURCED FROM WICOMICO COUNTY GIS DATABASE.

# BIKE ROUTE SIGNAGE NOTES

- 1. ALL SIGNS ARE TO BE INSTALLED SUCH THAT THE EDGE OF THE SIGN IS 2 FEET MINIMUM FROM THE EDGE OF SIDEWALK AND EDGE OF ROADWAY OR FACE OF CURB. IF AN EXISTING SIGN POST IS AVAILABLE WITHIN 50' OF PROPOSED LOCATION OF NEW SIGN POST, EXISTING POST MAY BE UTILIZED UPON APPROVAL OF SALISBURY PUBLIC WORKS.
- 2. LETTERING HEIGHT SHALL BE 1-INCH FOR 30 FEET LEGIBILITY DISTANCE PER MUTCD SECTION 2A.13. NOMINAL LOOP HEIGHT OF LOWER-CASE LETTERS SHALL BE 3/4-INCH PER MUTCD SECTIONS 2D.05 AND 2D.06. LETTERING FONT IS TO BE SERIES C 2000 PER STANDARD HIGHWAY SIGNS AND MARKINGS.
- 3. ALL ARROWS FOR DIRECTIONAL DESTINATION SIGNS AND CONFIDENCE MARKERS SHALL BE TYPE B PER MUTCD FIGURE
- 4. ALL ARROWS FOR TURN SIGNS SHALL BE TYPE A PER MUTCD FIGURE 2D-2.
- 5. ALL SIGNS ARE TO HAVE WHITE LETTERING ON A GREEN BACKGROUND EXCEPT WHERE SHOWN ON CUSTOM ROUTE BLAZES (SEE SIGN LEGEND THIS SHEET). ALL MESSAGES, BORDERS, LEGENDS, AND BACKGROUND SHALL BE RETROREFLECTIVE PER MUTCD SECTION 2D.03.
- 6. SIGNS SHALL BE SIZED PER STANDARD HIGHWAY SIGNS AND MARKINGS WITH CUSTOM ROUTE BLAZES (SEE SIGN LEGEND THIS SHEET).

# SIGN LEGEND

DESIGNATION SYMBOL SHOWN ON PLAN

CONFIDENCE MARKER

SALISBURY

DIRECTIONAL **DESTINATION** 

← Destination Two

13

DOWNTOWN DIRECTIONAL DESTINATION

← Destination Two


Salisbur


PORTANT INFORMATION

DOWNTOWN KIOSK

SALISBURY

KIOSK





# VICINITY MAP

(02-C) ≥

SCALE: 1" = 500'

LUCINDA F. STEVENS, P.E. RELEASED BY CHECKED R.D. PARKS, P.E. CHECKED J.L. WILLIAMS SURVEY DATE SEPTEMBER 2015 DATE BY APP. DATE REVISION REVISION BY



PROFESSIONAL CERTIFICATION LUCINDA F. STEVENS, P.E. hereby certify that these documents were prepared and approved by me and that I am a duly licensed professional engineer under the laws of the State of Maryland, License No. 27744, expiration date 07-19-2018.

CLIENT & PROJECT

CITY OF SALISBURY 125 N. DIVISION STREET SALISBURY, WICOMICO COUNTY, MARYLAND 21801

ORANGE BIKE ROUTE CAMDEN AVENUE TO EAST CHURCH STREET SALISBURY, WICOMICO COUNTY, MARYLAND



SHEET INDEX

LOCATION MAP

SCALE: 1" = 2000'

1 TITLE, LOCATION MAP, AND LEGEND

2 SIGNAGE PLACEMENT PLAN

4 SIGNAGE PLACEMENT PLAN

5 SIGNAGE PLACEMENT PLAN

6 SIGNAGE PLACEMENT PLAN

SIGNAGE PLACEMENT PLAN

DRAWING

C-1

P-1

P-2

P-3

P-4

P-5

SHEET DESCRIPTION

TITLE, LOCATION MAP, AND LEGEND

SCALE DWG. NO. AS SHOWN 1101 Opal Court, Suite 312 PROJECT NO. SHEET NO. Hagerstown, Maryland 21740 Tel 301.791.1100 10916.00 1 OF 6

Dwg. Name: BIKE ROUTES.DWG Plotted: 02/07/2017 3:33 PM

